

Automatic Scrubbers

CT100



IPC Eagle

26/29 Gallon, 28" & 32" Disc

Great Productivity



Large solution tank capacity in minimum external space



Extensive running time (Large battery compartment)



Solution control with automatic stop (Solenoid valve)



Brush control with automatic "delayed" stop



High Performance

PATENTED



SLS (Self Levelling System) automatic brush pressure control



High quality and performance vacuum motor



Exclusive squeegee system assures high performance at low cost





Ergonomics, User Friendly



Great maneuverability thanks to an optimum weight distribution



Great working visibility



Designed to assure minimum noise levels



Easy to use control panel



Solution tank level indicator



Battery level indicator



Solution tank discharge hose



Recovery tank discharge point and hose at maximum height




Solution tank can be tilted



External battery charger plug



On board charger optional



CT100



Low Maintenance Costs

- 

Inlet and outlet filters for maximum solution tank protection
- 

AFS (Anti Foam System)
- 

Brush replacement without tools
- 

Squeegee blade can be used on 4 sides before replacement
- 

Squeegee assembly and blades replacement without tools
- 

Easy access to internal compartments

Durability

- 

Tanks and surrounding body in high density polyethylene
- 

Oil bath reduction gear box
- 

Brush head designed to absorb harsh impact
- 

Squeegee system designed to absorb harsh impact
- 

Panel control switches protected against water and humidity



Technical data		CT100 BT70	CT100 BT85
Scrubbing width	Inches/mm	28" / 700 mm	32" / 850 mm
Suction width	Inches/mm	37" / 950 mm	37" / 950 mm
Productivity (at max speed)	m ² /h	33,910 Ft ² /3,150 m ² h	41,170 Ft ² /3,825 m ² h
Number of brushes		2 (disc)	2 (disc)
Solution tank capacity	Gal/l	26 Gal/100 l	27 Gal/100 l
Recovery tank capacity	Gal/l	30 Gal/110 l	30 Gal/110 l
Power supply		24V (4x6V)	24V (4x6V)
Max speed	Mph/Km/h	2.5 Mph/4.5 (electric) Km/h	2.8 Mph/4.5 (electric) Km/h
Weight (net)	Lbs/Kg	375Lbs/170 Kg	382Lbs/173 Kg
Dimensions (LxWxH)	Inches/ mm	63" x30" x43"	65" x35" x43"
		1596mmx744mmx1075mm	1641mmx880mmx1075mm

Automatic Scrubbers

CT100



Large tank capacity in minimum external space

26 -30 Gallon capacity tanks make this model very unique in its category.




Solution control with automatic stop

Saves water and save chemicals. Solution flow stops and starts upon brush command.



Extensive running time

Extremely large battery compartment allows batteries of up to 325 Ah/5h (5,5h running time).



SLS (Self Levelling System) Automatic brush pressure control

Constant brush pressure with immediate reaction. Avoids also excessive brush and actuator wear.



Exclusive squeegee system assures high performance at low cost

Incomparable drying results even on the most difficult surfaces thanks to a very unique design.



Recovery tank can be tilted

Easy to rinse and clean thanks also to smooth internal finishes.



IPC Eagle

3650 Dodd Rd • Eagan, MN 55123
651.686.5399 • Fax 651.686.5695 • 800.486.2775
www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided By: