

Specifications

Load Capacity	5500 lbs.
Fork Length	48"
Overall Fork Widths	20.5" / 27"
Lowered Fork Height	2.9"
Raised Fork Height	7.8"
Fork Width	6.5"
Weight	170 lbs.
Steer Wheels	7"
Load Rollers	2.9" x 3.6"
Wheels/Rollers	Nylon

Description

Whether it is a Clean-Room or Cold-Room environment, or a highly corrosive chemical application, the **CJ55S Stainless Steel Pallet Jack** will do the job. Ideal for Chemical manufacturers, Pharmaceutical companies, Food Processing companies and Fisheries, the **CJ55S** is hygienic, durable, easy to clean and built for the ultimate in Corrosion Resistance.

Standard Features

Stainless Steel Frame

- Rugged Heavy Duty Frame constructed of one-piece formed channel steel offering light weight strength.

Stainless Steel Forks

- Reinforced for added strength with tapered ends for easy pallet entry.

Stainless Steel Hydraulic Pump

- Quality design complete with a special lowering valve allowing controlled rate of descent, and an overload bypass valve.

Stainless Steel Handle

- Featuring a reinforced base, the spring-a-matic handle returns to the upright position automatically.

Control Handle

- The control handle has three positions (raise/neutral/lower) fingertip control. Ergonomically designed and free of pinch points.

Pump Stroke

- Features a full 90 degree top to bottom stroke requires only 10 strokes to raise the forks to the maximum lift.

Steering

- Featuring 200 degree pivot action for greater maneuverability with 7" nylon wheels, sealed bearings and "Ball-Thrust" steering.

Load Rollers

- Features 2.9" nylon rollers with sealed bearings.

Stainless Steel Push Rods

- The adjustable push rods allow for individual adjustment capability of either fork height.

Stainless Steel Hangers

- The one piece hangers are constructed of Iron Cast for greater strength and longevity.

Helper Rollers

- Features 4 helper rollers for easy exit and entry of pallets.

Pivot Points

- The CJ55G features grease fittings and bushings at all pivot points for easy maintenance.

Options

- Automotive Brake Attachment
- Tandem Wheels

