

KÄRCHER



DEEP CLEANING STAND-ON POWER

Get impressive results with this compact stand-on cylindrical scrubber.



Productivity and scrubbing power for everyday use.

Revel in the productivity and power gains from this combination of our Chariot™ 2 line with our superior cylindrical scrubbing technology. Save time and money by pre-sweeping, scrubbing and vacuuming in one pass with this machine. This advantage comes on with cylindrical scrubbing. All of the benefits of a traditional Chariot™ come with this unit including ergonomic improvements, productivity gains, and easy intuitive operation.



1 Productivity

- Designed with our patented Chariot™ stand-on technology for increased productivity and maneuverability
- Two 22-inch counter-rotating cylindrical brushes provides pre-sweeping, scrubbing and vacuuming in one pass for thorough cleaning, especially on grouted & structured surfaces
- Over 50% more productive than a conventional 20-inch walk-behind scrubber

2 Easy to use

- An ultra-tight turning radius enables Chariot™ to run around in five foot aisles with room to spare. Greater access in tight areas, increasing your floor cleaning coverage.
- Intuitive control panel and an easy-to-clean, fully accessible hygienic recovery tank
- Easy access to the debris tray for dumping and cleaning
- Wide-open access to battery compartment and effortless access to recovery tank for easy cleaning

3 Safety first

- Swiveling no-adjustment squeegee with Aqua-Mizer™ functionality that ensures 100% water pick up for dry, safe floors
- Design and size that provides remarkable maneuverability, and best-in-industry 360° visibility that allows the operator to see more of the cleaning area
- Tie-down bar for ease of transportation
- Quiet operation for daytime cleaning

Technical data and equipment.



CHARIOT™ 2 ISCRUB 22 SP

TECHNICAL SPECIFICATIONS

| | | |
|--|--------------------------|--|
| Productivity (practical) | ft²/hr | 19,700 |
| Cleaning path | in | 22 |
| Solution/recovery capacity | gal | 10/10 |
| Vacuum | hp | 0.63 |
| Water lift | in of water | 47.3 |
| Electrical system | | 36V 3x12V 130 Ah, 36V 3x12V 114 Ah AGM |
| Operating noise level | dB(A) | 71.5 |
| Climbing ability- maximum slope | % grade | 10 |
| Max. working speed | mph | 2.4 |
| Transport speed | mph | 2.4 |
| Minimum turning radius | ft | 2.13 |
| Weight with batteries | lbs | 660 |
| Dimensions (L x W x H) | in | 44 x 29.3 x 51.8 |

EQUIPMENT

| Order No. | Description |
|-------------|---|
| 1.008-071.0 | Charriot™ 2 iScrub 22 SP, cylindrical scrub deck, 36V/130 Ah batteries, 21A automatic charger |
| 1.008-072.0 | Charriot™ 2 iScrub 22 SP, cylindrical scrub deck, 36V/114 Ah AGM batteries |
| 1.008-073.0 | Charriot™ 2 iScrub 22 SP, cylindrical scrub deck, 36V/114 Ah AGM batteries, on-board charger |

ACCESSORIES

| Order No. | Description |
|---|---|
| <input type="checkbox"/> 4.762-410.0 | Cylindrical orange brush, 22-inch, high/low bristles for uneven floors |
| <input checked="" type="checkbox"/> 4.035-184.0 | Cylindrical red brush, 22-inch, medium stiff bristles for all-around cleaning on smooth and textured floors |
| <input type="checkbox"/> 4.762-411.0 | Cylindrical green brush, 22-inch, hard bristles |
| <input type="checkbox"/> 4.762-409.0 | Cylindrical white brush, 22-inch, soft |
| <input type="checkbox"/> 4.762-415.0 | Cylindrical pad shaft, 22-inch, 2 required |
| <input type="checkbox"/> 8.635-692.0 | 22" Chemical-Free Stripping Cylindrical (must have 4.762-415.0 pad shafts) |
| <input type="checkbox"/> 4.114-010.0 | Cylindrical microfiber pad, 22-inch, for daily cleaning of delicate surfaces including LVT and stone tile |
| <input type="checkbox"/> 6.273-207.0 | Squeegee blade set, oil resistant |
| <input type="checkbox"/> 6.369-735.0 | White pad, includes sleeve, 22-inch |
| <input type="checkbox"/> 6.369-732.0 | Yellow pad, 22-inch |
| <input type="checkbox"/> 6.369-733.0 | Green pad, 22-inch |
| <input type="checkbox"/> 6.369-734.0 | Red pad, 22-inch, medium grit for all-around cleaning on smooth and textured floors |

■ Included □ Optional



MidAtlantic.US
(888) 383-LIFT