

KÄRCHER

makes a difference



NEXT-GENERATION STAND-ON CYLINDRICAL SCRUBBING.

Stand-on cylindrical scrubbing at its finest.

PROFESSIONAL | CHARIOT™ 3 ISCRUB 26 SP

The next-generation stand-on cylindrical scrubber.

When compared to a walk-behind-scrubber this machine is twice as productive. This machine was developed from our years of experience as the innovators of the stand-on cleaning segment. No other manufacturer comes close to the depth of our line of stand-on cleaning machines. This model features our innovative cylindrical cleaning technology on our third generation Chariot™ platform.



1 Cylindrical scrubbing technology

- Cylindrical brushes are continuously self-cleaned by centrifugal force, which allows one cylindrical brush to outlast 50 or more cleaning pads saving on labor, material costs and landfill space
- Provides up to 9 times more downward pressure than traditional disc or pad floor scrubbers, creating more consistent cleaning results by evenly distributing downward pressure along the entire contact area of the brush.
- Integrated wet pre-sweep and debris hopper can save up to 40% of your overall cleaning time and labor costs by eliminating the need for pre-sweeping with a separate piece of equipment
- Perfect for scrubbing grouted, uneven, or porous surfaces

2 Cost savings

- Optional chemical metering system with adjustable dilution rate ensures the correct chemical mix is applied and no product is wasted
- Chariot™ scrubbers reduce labor cost due to our productive stand-on design allowing you to get more done with the same size staff
- Get a quick return on your investment with prices comparable with similar sized walk-behind scrubbers

3 Productivity focused

- Chariot™ scrubbers increase labor productivity up to two times that of a walk-behind scrubber (based on ISSA practical cleaning rates)
- EcoMode optimizes productivity by lengthening run times between recharging and refilling
- Reduced operator fatigue means increased productivity
- Simple-to-train design means more time is spent cleaning
- Full circle visibility, easy to transport around the building, and fits through a standard door
- Optional battery exchange package increases productivity and decreases down-time

Technical data and equipment.

CHARIOT™ 3 ISCRUB 26 SP

TECHNICAL SPECIFICATIONS		
Productivity (practical)	ft ² /hr	27,639
Cleaning path	in	26
Solution/recovery capacity	gal	25/27
Vacuum	hp	0.63
Water lift	in of water	N/A
Electrical system		36V 3x12V 205 Ah or 225 Ah, 36V 3x12V 234 Ah AGM
Operating noise level	dB(A)	69
Climbing ability- maximum slope	% grade	10
Max. working speed	mph	3.0
Transport speed	mph	4.1
Minimum turning radius	ft	2.5
Weight with batteries	lbs	825
Dimensions (L x W x H)	in	56 x 33 x 50

EQUIPMENT

Order No.	Description
1.008-080.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/225 Ah batteries, shelf charger
1.008-082.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/234 Ah AGM batteries, shelf charger
1.008-083.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/225 Ah batteries, on-board charger
1.008-085.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/234 Ah AGM batteries, on-board charger
1.008-088.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/225 Ah batteries, shelf charger, chemical metering
1.008-089.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/234 Ah AGM batteries, shelf charger, chemical metering
1.008-090.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/225 Ah batteries, on-board charger, chemical metering
1.008-091.0	Chariot™ 3 iScrub 26 SP, cylindrical scrub deck, 36V/234 Ah AGM batteries, on-board charger, chemical metering

ACCESSORIES

Order No.	Description
<input checked="" type="checkbox"/> 4.035-187.0	Cylindrical red brush
<input type="checkbox"/> 6.906-981.0	Cylindrical white brush, soft
<input type="checkbox"/> 6.906-982.0	Cylindrical orange brush, high-low for grout
<input type="checkbox"/> 6.906-983.0	Cylindrical green brush, hard
<input type="checkbox"/> 6.906-984.0	Cylindrical black brush, very aggressive
<input type="checkbox"/> 8.628-349.0	Chariot™ Front Squeegee, Cylindrical Scrubber, Linatex®
<input type="checkbox"/> 8.628-350.0	Chariot™ Rear Squeegee, Cylindrical Scrubber, Linatex®
<input type="checkbox"/> 8.628-353.0	Chariot™ Front Squeegee, Cylindrical Scrubber, Urethane
<input type="checkbox"/> 8.628-352.0	Chariot™ Rear Squeegee, Cylindrical Scrubber, Urethane
<input type="checkbox"/> 9.840-602.0	Battery pack 205 Ah, set of 3
<input type="checkbox"/> 9.840-600.0	Battery pack 225 Ah, set of 3
<input type="checkbox"/> 8.622-843.0	Battery pack 234 Ah AGM, 3 required
<input type="checkbox"/> 8.628-409.0	Charger 36V 21A C175 automatic charger
<input type="checkbox"/> 8.600-015.0	AGM battery charger, 36V, 21A, 115V
<input type="checkbox"/> 9.840-612.0	Battery cable kit 1 set
<input type="checkbox"/> 8.600-486.0	Ignition key

CHARIOT™ 3 ISCRUB 26 AND CHARIOT™ 3 ISCRUB 26 SP PRODUCTIVITY PACKS

Order No.	Description
<input type="checkbox"/> 8.636-805.0	225 Ah exchange system
<input type="checkbox"/> 8.639-254.0	Chariot™ 3 Battery Cart without Batteries or Cable (includes the cart and the lock kit)
<input type="checkbox"/> 8.636-806.0	234 Ah AGM exchange system
<input type="checkbox"/> 8.637-321.0	Battery Exchange Lock Kit

SERVICES

Order No.	Description
<input type="checkbox"/> 7.000-270.0	Fleet one year premium subscription

Included Optional



MidAtlantic.US
(888) 383-LIFT